



CATALOG
Parquet & Laminate



DESCRIPTION

sale of various parquet, laminate, subfloor and skirting boards

START

29 november 2024 to 09:00 [UTC]

END DATE

9 december 2024 from 18:00 [UTC]

VIEWING

- ---
Monday December 02 2024 from 10:00 until 12:00
BE-2500 Lier, Schaarbroek 3

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoен@auctim.be
BTW BE 0452 153 622

ISSUE - COLLECTION

- ---
Monday December 16 2024 from 10:00 until 12:00
BE-2500 Lier, Schaarbroek 3




Online bidding only!

Catalog created on 9 december 2024 to 04:02







	Item	Description	Start price
	1	Quantity: 102.49 m2 Product category: Oak solid parquet Additional information: 102.49 m2 Oak multi-layer parquet floor, model: oak 103, 5g click system, unfinished, dimensions: 2200x180x14mm Weight category: 250 to 1,000 kg Condition: New	50€
	2	Quantity: 47.52 m2 Product category: Oak solid parquet Additional information: 47.52 m2 Oak solid parquet, few knots, untreated, tongue and groove to be glued, thickness: 18mm, dimensions: 20x11cm Weight category: 250 to 1,000 kg Condition: New	50€
	3	Quantity: 86.9 m2 Product category: Solid oak parquet Additional information: 86.9 m2 Solid oak parquet, few knots, tongue and groove to be glued, dimensions: 25x11 cm, 40x11 cm, 18mm thick Weight category: 250 to 1,000 kg Condition: New	50€
	4	Quantity: 23.76 m2 Product category: oak multi-layer parquet Additional information: 23.76 m2 Oak multi-layer parquet floor, model: oak 378, 5G click system, brushed, white oil oxidative, suitable for underfloor heating, dimensions: 1092x130x14mm Weight category: 250 to 1,000 kg Condition: New	50€






	5	Quantity: 36.99 m2 Product category: oak multi-layer parquet Additional information: 36.99 m2 Oak multi-layer parquet floor, model: oak 689, 5G click system, brushed, matt lacquered, suitable for underfloor heating, dimensions: 1092x180x14mm Weight category: 250 to 1,000 kg Condition: New	50€
	6	Quantity: 41.6 m2 Product category: oak multi-layer parquet Additional information: 41.6 m2 Oak multi-layer parquet floor, model: Grey 663, optilock, brushed, matt lacquered, suitable for underfloor heating, dimensions: 725x130x14mm Weight category: 250 to 1,000 kg Condition: New	50€
	7	Quantity: 55.4 m2 Product category: oak multi-layer parquet Additional information: 55.4 m2 Oak multi-layer parquet floor, model: cream white 712, 5g click system, brushed, matt lacquered, suitable for underfloor heating, dimensions: 2200x180x14mm Weight category: 250 to 1,000 kg Condition: New	50€







	8	Quantity: 112 m2 Product category: oak multi-layer parquet Additional information: 112 m2 Oak multi-layer parquet floor, model: Oak 510, 5g click system, lacquered, suitable for underfloor heating, dimensions: 2200x130x14mm Weight category: 250 to 1,000 kg Condition: New	50€
	9	Quantity: 108 m2 Product category: oak multi-layer parquet Additional information: 108 m2 Oak multi-layer parquet floor, model: smoked brown effect 534, 5g click system, brushed, matt lacquered, suitable for underfloor heating, dimensions: 2200x180x14mm Weight category: 250 to 1,000 kg Condition: New	50€
	10	Quantity: 53.34 m2 Product category: oak multi-layer parquet Additional information: 53.34 m2 Oak multi-layer parquet floor, model: rustic white 240, click system, suitable for underfloor heating, dimensions: 2266x188x15mm Weight category: 250 to 1,000 kg Condition: New	50€
	11	Quantity: 72 m2 Product category: oak multi-layer parquet Additional information: 72 m2 Oak multi-layer parquet floor, model: gold 900, click system, lacquered, suitable for underfloor heating, dimensions: 2200x180x14mm Weight category: 250 to 1,000 kg Condition: New	50€






	12	Quantity: 49.37 m2 Product category: oak multilayer parquet Additional information: 49.37 m2 Premium oak multilayer parquet floor, model: RWM, tongue and groove system, suitable for underfloor heating, dimensions; 2200x220x15/4mm Weight category: 250 to 1,000 kg Condition: New	50€
	13	Quantity: 49.37 m2 Product category: oak multilayer parquet Additional information: 46.87 m2 herringbone Rigid core PVC floor, colour: FSHR, matt finish, drop click system, suitable for underfloor heating, top layer 0.3mm, 1mm xps insulation, dimensions: 625x125x5mm Weight category: 250 to 1,000 kg Condition: New	50€
	14	Quantity: 46.87 m2 Product category: PVC floor 5mm Additional information: 46.87 m2 herringbone Rigid core PVC floor, colour: SBN, matt finish, drop click system, suitable for underfloor heating, top layer 0.3mm, 1mm xps insulation, dimensions: 625x125x5mm Weight category: 250 to 1,000 kg Condition: New	50€







	15	Quantity: 18 M ² Product category: PVC floor 5mm Additional information: 18 m2 Rigid core PVC floor 5mm, colour: 206, matt finish, drop click system, suitable for underfloor heating, 1mm xps insulation, dimensions: 1220x182x5mm Weight category: 250 to 1,000 kg Condition: New	50€
	16	Quantity: 38 M ² Product category: PVC floor 6mm Additional information: 38 m2 Rigid core PVC floor terrazzo 6mm, color: Kea, matt finish, drop click system, suitable for underfloor heating, top layer 0.55mm, 1mm xps insulation, dimensions: 1220x228x6mm Weight category: 250 to 1,000 kg Condition: New	50€
	17	Quantity: 46 M ² Product category: PVC floor 5mm Additional information: 46 m2 Rigid core PVC floor 5mm, colour: 202, matt finish, drop click system, suitable for underfloor heating, 1mm xps insulation, dimensions: 1220x182x5mm Weight category: 250 to 1,000 kg Condition: New	50€
	18	Quantity: 106.81 M ² Product category: PVC floor 6mm Additional information: 106.81 m2 Rigid core PVC floor 6mm, colour: Fitz, matt finish, drop click system, suitable for underfloor heating, top layer 0.55mm, 1mm xps insulation, dimensions: 1220x228x6mm Weight category: 250 to 1,000 kg Condition: New	50€





	19	Quantity: 28.93 m2 Product category: PVC floor 6mm Additional information: 28.93 m2 Rigid core PVC floor 6mm, colour: Hua, matt finish, drop click system, suitable for underfloor heating, top plate 0.55mm, 1mm xps insulation, dimensions: 1220x228x6mm Weight category: 250 to 1,000 kg Condition: New	50€
	20	Quantity: 18.6 M ² Product category: PVC floor 6mm Additional information: 18.6 m2 Rigid core PVC floor 6mm, color: Eiger, matt finish, drop click system, suitable for underfloor heating, top layer 0.55mm, 1mm xps insulation, dimensions: 610x305x6mm Weight category: 250 to 1,000 kg Condition: New	50€
	21	Quantity: 40 m2 Product category: PVC floor 6mm Additional information: 40 m2 Rigid core PVC floor 6mm, colour: Nevada, matt finish, drop click system, suitable for underfloor heating, top layer 0.55mm, 1mm xps insulation, dimensions: 1220x228x6mm Weight category: 250 to 1,000 kg Condition: New	50€







	22	<p>Quantity: 28.93 m2 Product category: PVC floor 6mm Additional information: 28.93 m2 Rigid core PVC floor, colour: Alp, matt finish, drop click system, suitable for underfloor heating, top layer 0.55mm, 1mm xps insulation, dimensions: 1220x228x6mm Weight category: 250 to 1,000 kg Condition: New</p>	50€
	23	<p>Quantity: 22.24 m2 Product category: PVC floor 5mm Additional information: 22.24 m2 Rigid core PVC floor, colour: 5801-3 hmpt, matt finish, drop click system, suitable for underfloor heating, top layer 0.3mm, 1mm xps insulation, dimensions: 1220x228x5mm Weight category: 250 to 1,000 kg Condition: New</p>	50€
	24	<p>Quantity: 15.54 m2 Product category: PVC floor 6mm Additional information: 15.54 m2 Rigid core PVC floor, colour: FSHR, matt finish, drop click system, suitable for underfloor heating, top layer 0.55mm, 1mm xps insulation, dimensions: 1220x228x6mm Weight category: 250 to 1,000 kg Condition: New</p>	50€
	25	<p>Quantity: 15.57 m2 Product category: PVC floor 6mm Additional information: 15.57 m2 Rigid core PVC floor, colour: NOVA, matt finish, drop click system, suitable for underfloor heating, top layer 0.55mm, 1mm xps insulation, dimensions: 1220x228x6mm Weight category: 250 to 1,000 kg Condition: New</p>	50€



	26	Quantity: 46.87 m2 Product category: PVC floor 5mm Additional information: 46.87 m2 herringbone Rigid core PVC floor, colour: PRNC, matt finish, drop click system, suitable for underfloor heating, top layer 0.3mm, 1mm xps insulation, dimensions: 625x125x5mm Weight category: 250 to 1,000 kg Condition: New	50€
	27	Quantity: 86.9 m2 Product category: Laminate flooring 8mm Additional information: 86.9 m2 laminate flooring, colour: ida, click system, AC5-33, splash-proof, dimensions: 1380x190x12mm Weight category: 250 to 1,000 kg Condition: New	50€
	28	Quantity: 25.56 m ² Product category: Laminate flooring 8mm Additional information: 25.56 m ² Laminate flooring, colour: YDS, 5G click system, splash-proof, AC4 class 32, dimensions: 192.5x1380mmx8mm, 2.13m ² per pack Weight category: 250 to 1,000 kg Condition: New	50€







	29	<p>Quantity: 88.48 m2 Product category: Laminate flooring 8 mm Additional information: 88.48 m2 laminate flooring, colour: barla, click system, AC5-33, splash-proof, dimensions: 1380x190x12mm Weight category: 250 to 1,000 kg Condition: New</p>	50€
	30	<p>Quantity: 14.91 M2 Product category: Laminate flooring 8 mm Additional information: 14.91 m² Laminate flooring, colour: CND, 5G click system, splash-proof, AC4 class 32, dimensions: 192.5x1380mmx8mm, 2.13m² per pack Weight category: 250 to 1,000 kg Condition: New</p>	50€
	31	<p>Quantity: 88.48 m2 Product category: Laminate flooring 12mm Additional information: 88.48 m2 laminate flooring, colour: ida, click system, AC5-33, splash-proof, dimensions: 1380x190x12mm Weight category: 250 to 1,000 kg Condition: New</p>	50€
	32	<p>Quantity: 88.48 m2 Product category: Laminate flooring 12mm Additional information: 88.48 m2 laminate flooring, color: samdi, click system, AC5-33, splash-proof, dimensions: 1380x190x12mm Weight category: 250 to 1,000 kg Condition: New</p>	50€



	33	<p>Quantity: 81 M² Product category: Laminate flooring 12mm Additional information: 81m2 AGT effect premium laminate, Elbruz, click system, v-groove, anti-scratch, anti-slip, suitable for underfloor heating. AC5-33 class. Dimensions: 1195x189x12mm (LxWxD) Weight category: 250 to 1,000 kg Condition: New</p>	50€
	34	<p>Quantity: 25.28 M² Product category: Laminate flooring 12 mm Additional information: 25.28 m2 laminate 12mm Gloria, color: Anthrasite, click system, class AC5-33, dimensions: 190x1380x12mm Weight category: 250 to 1,000 kg Condition: New</p>	50€
	35	<p>Quantity: 66.6 M² Product category: Laminate flooring 8 mm Additional information: 66.6 m2 8mm laminate floor, color: Helsinki, click system, dimensions: 1286x194x8mm Weight category: 250 to 1,000 kg Condition: New</p>	50€
	36	<p>Quantity: 88.48 M² Product category: Laminate flooring 12 mm Additional information: 88.48 m2 laminate 12mm Gloria, colour: Panteon, click system, class AC5-33, dimensions: 190x1380x12mm Weight category: 23 to 50 kg Condition: New</p>	50€



 auctim.com	37	<p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of sound eliminator aluminium, thickness: 2 mm, sound reducing, damp proof, with overlap 100 mm, light leveling, suitable for underfloor heating, per roll: 15 m2, total: 90 m2. Weight category: 23 to 50 kg Condition: New</p>	50€
 auctim.com	38	<p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of sound eliminator aluminium, thickness: 2 mm, sound reducing, damp proof, with overlap 100 mm, light leveling, suitable for underfloor heating, per roll: 15 m2, total: 90 m2. Weight category: 23 to 50 kg Condition: New</p>	50€
 auctim.com	39	<p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of sound eliminator aluminium, thickness: 2 mm, sound reducing, damp proof, with overlap 100 mm, light leveling, suitable for underfloor heating, per roll: 15 m2, total: 90 m2. Weight category: 50 to 100 kg Condition: New</p>	50€
 auctim.com	40	<p>Quantity: 10 Product category: subfloor packs Additional information: 10 packs of underlay, brand: comfort super, thickness: 5mm, per pack: 5m2, total approx.: 50m2, pressure-resistant, 22db impact sound insulation, excellent heat insulation, leveling ability.</p>	50€





		Weight category: 50 to 100 kg Condition: New	
	41	Quantity: 10 Product category: subfloor packs Additional information: 10 packs of underlay, brand: comfort super, thickness: 5mm, per pack: 5m2, total approx.: 50m2, pressure-resistant, 22db impact sound insulation, excellent heat insulation, leveling ability. Weight category: 50 to 100 kg Condition: New	50€
	42	Quantity: 10 Product category: subfloor packs Additional information: 10 packs of underlay, brand: comfort super, thickness: 5mm, per pack: 5m2, total approx.: 50m2, pressure-resistant, 22db impact sound insulation, excellent heat insulation, leveling ability. Weight category: 50 to 100 kg Condition: New	50€
	43	Quantity: 15 Product category: MDF skirting boards Additional information: 15 x MDF skirting board, dimensions: 2400 (L) x 120 (H) x 15 (D) mm, color: RAL9010, can be glued Dimensions mm (LxWxH): 2400x120x15 Weight category: 50 to 100 kg Condition: New	50€



	44	Quantity: 15 Product category: MDF skirting boards Additional information: 15 x MDF skirting board, dimensions: 2400 (L) x 120 (H) x 15 (D) mm, color: RAL9010, can be glued Dimensions mm (LxWxH): 2400x120x15 Weight category: 50 to 100 kg Condition: New	50€
	45	Quantity: 10 Product category: MDF romantic skirting board Additional information: 10x MDF romantic skirting board, pre-painted with RAL 9010, dimensions: 2400x120x15mm Weight category: 50 to 100 kg Condition: New	50€
	46	Quantity: 10 Product category: MDF romantic skirting board Additional information: 10x MDF romantic skirting board, pre-painted with RAL 9010, dimensions: 2400x120x15mm Weight category: 50 to 100 kg Condition: New	50€
	47	Quantity: 30 Product category: oak skirting board Additional information: 30 pieces of oak skirting board, brand: Barlinek, color: gray, length: 1850 mm, height: 58 mm Weight category: 50 to 100 kg Condition: New	50€



	48	Quantity: 40 Product category: oak skirting board Additional information: 40 pieces of oak skirting board, brand: Barlinek, color: gray, length: 1850 mm, height: 58 mm Weight category: 50 to 100 kg Condition: New	50€
	49	Quantity: 10 Product category: MDF Painted skirting boards Additional information: 10x MDF painting skirting boards 2400 x 70 mm Dimensions mm (LxWxH): 2400x70 Weight category: 50 to 100 kg Condition: New	50€
	50	Quantity: 20 Product category: MDF Painted skirting boards Additional information: 20x MDF painting skirting boards 2400 x 70 mm Dimensions mm (LxWxH): 2400x70 Weight category: 50 to 100 kg Condition: New	50€
	51	Quantity: 30 Product category: MDF Painted skirting boards Additional information: 30x MDF painting skirting boards 2400 x 70 mm Dimensions mm (LxWxH): 2400x70 Weight category: 50 to 100 kg Condition: New	50€