

CATALOG

Tools and miscellaneous consumer goods







DESCRIPTION Auction including cutting plotters, various water distillers,

various diamond drilling machines, hammer drills, chain

hoists and more!

START 12 june 2025 to 08:00 [UTC]

END DATE 19 june 2025 from 13:00 [UTC]

VIEWING • --

Wednesday June 18 2025 from 15:00 until 17:00

BE-2630 Aartselaar, Helststraat 47

AUCTIM PARTNER MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium +32 3 827 21 31 - info.moyersoen@auctim.be

BTW BE 0452 153 622

ISSUE - COLLECTION • -

Wednesday June 25 2025 from 10:00 until 12:00

BE-2630 Aartselaar, Helststraat 47

Online bidding only!

Catalog created on 19 june 2025 to 04:01

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



Item	Description	Start price
42	Quantity: 1 Product Category: Cutting Plotter Model: KH-720 Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/- 0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances. DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s. HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system. WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420 Weight category: 0 to 23 kg Condition: Unused Location: B13	40€
43	Quantity: 1 Product Category: Cutting Plotter Model: KH-720 Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/- 0.01mm and a paper feeding accuracy of 3m).	40€



STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused Location: B13



45 Quantity: 1

Product Category: Cutting Plotter

Model: KH-720

Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused Location: B13



46 Quantity: 1

Product Category: Cutting Plotter

Model: KH-720

Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused Location: B13

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



47	Quantity: 1 Product Category: Cutting Plotter Model: KH-720 Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/- 0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances. DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s. HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system. WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420 Weight category: 0 to 23 kg Condition: Unused Location: B13	40€
48	Quantity: 1 Product Category: Cutting Plotter Model: KH-720 Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-	40€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused Location: B13



49 Quantity: 1

Product Category: Cutting Plotter

Model: KH-720

Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT

compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused Location: B13



50 Quantity: 1

Product Category: Cutting Plotter

Model: KH-720

Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused

www.auctim.com info.moyersoen@auctim.be



	Location: B13	
54	Quantity: 1 Product Category: Cutting Plotter Model: KH-720 Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/- 0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances. DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s. HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system. WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420 Weight category: 0 to 23 kg Condition: Unused Location: B13	40€
56	Quantity: 1 Product Category: Cutting Plotter Model: KH-720 Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-	40€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused Location: B13



57 Quantity: 1

Product Category: Cutting Plotter

Model: KH-720

Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused Location: B13



58 Quantity: 1

Product Category: Cutting Plotter

Model: KH-720

Additional Information: Equipped with Stand, CUTTING CAPACITY: Cutting plotter with a maximum paper feed of 720mm, a maximum cutting width of 630mm, a cutting accuracy of +/-0.01mm and a paper feeding accuracy of 3m). STRONG STABILITY: Adopts D-type motherboard and 128K-2M high-speed cache memory. 3 double pressure wheels and an aluminum knurled rod ensure that the paper feeding does not deviate over long distances.

DIGITAL CONTROL: With backlit LCD screen and large control panel. With adjustable cutting pressure of 10-500g and adjustable cutting speed of 10-800mm/s.

HIGH COMPATIBILITY: Available with COMPIM and USB interface for more precise operation. Support DM/PL, HP/GL language. System: Pentium processor PC or compatible computer (Windows), Windows XP/Vista/7/8/10 (32 & 64). NOT compatible with Mac system.

WIDE APPLICATION: Can be used in advertising, various decorations, crafts, heat transfer supplements, label and sign making, etc. Dimensions mm (LxWxH): 950x330x420

Weight category: 0 to 23 kg

Condition: Unused

www.auctim.com info.moyersoen@auctim.be



		Location: B13	
	71	Quantity: 1 Product category: saw blade sharpener Brand: Model: JMY8-70 TYFE Additional information: 220V Weight category: 23 to 50 kg Condition: Unused Location: C14	20€
	72	Quantity: 1 Product category: saw blade sharpener Brand: Model: JMY8-70 TYFE Additional information: 220V Weight category: 23 to 50 kg Condition: Unused Location: C14	20€
	375	Quantity: 30 Product category: water distillers Additional information: equipped with various accessories, lying on 1 pallet Weight category: 100 to 250 kg Condition: Unused Location: D13	300€
-008	376	Quantity: 30 Product category: water distillers Additional information: equipped with various accessories, lying on 1 pallet Weight category: 100 to 250 kg Condition: Unused Location: D13	300€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



iii eiii	377	Quantity: 28 Product category: water distillers Additional information: equipped with various accessories, lying on 1 pallet Weight category: 100 to 250 kg Condition: Unused Location: D13	280€
iii etii	378	Quantity: 36 Product category: water distillers Additional information: equipped with various accessories, lying on 1 pallet Weight category: 100 to 250 kg Condition: Unused Location: D13	360€
in one	379	Quantity: 46 Product category: water distillers Additional information: equipped with various accessories, lying on 1 pallet Weight category: 100 to 250 kg Condition: Unused Location: D13	460€
iii efit	387	Quantity: 4 Product category: water distillers Additional information: equipped with various accessories Weight category: 0 to 23 kg Condition: Unused Location: D13	40€



or stip	388	Quantity: 4 Product category: water distillers Additional information: equipped with various accessories Weight category: 0 to 23 kg Condition: Unused Location: D13	40€
	390	Quantity: 4 Product category: water distillers Additional information: equipped with various accessories Weight category: 0 to 23 kg Condition: Unused Location: D13	40€
oce of the state o	391	Quantity: 4 Product category: water distillers Additional information: equipped with various accessories Weight category: 0 to 23 kg Condition: Unused Location: D13	40€
	409	Quantity: 15 Product category: water distillers Additional information: equipped with various accessories Weight category: 50 to 100 kg Condition: Unused Location: D13	150€



8	417	Quantity: 1 Product Category: Tool Sharpener Brand: MRCM Model: MR-X1 Weight Category: 23 to 50 kg Condition: Unused Location: D13	100€
	448	Quantity: 2 Product category: Diamond drills Brand: Tong Siko Model: RT-160 Additional information: 220V, 2180W, RPM: 1600, max: diameter: 160mm, with accessories in case Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
	449	Quantity: 2 Product category: Diamond drills Brand: Tong Siko Model: RT-160 Additional information: 220V, 2180W, RPM: 1600, max: diameter: 160mm, with accessories in case Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
	451	Quantity: 2 Product category: Diamond drills Brand: Tong Siko Model: RT-180 Additional information: 220V, 2180W, RPM: 1600, max: diameter: 180mm, with accessories in case Weight category: 23 to 50 kg Condition: Unused Location: D12	100€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



452	Quantity: 2 Product category: Diamond drills Brand: Tong Siko Model: RT-180 Additional information: 220V, 2180W, RPM: 1600, max: diameter: 180mm, with accessories in case Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
453	Quantity: 2 Product category: Diamond drills Brand: Tong Siko Model: RT-180 Additional information: 220V, 2180W, RPM: 1600, max: diameter: 180mm, with accessories in case Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
455	Quantity: 1 Product category: Diamond drill Brand: Tong Siko Model: RT-130 Additional information: 220V, 2180W, RPM: 980, max: diameter: 130mm, with accessories in case Weight category: 23 to 50 kg Condition: Unused Location: D12	50€



456	Quantity: 1 Product category: Diamond drill Brand: Tong Siko Model: RT-130 Additional information: 220V, 2180W, RPM: 980, max: diameter: 130mm, with accessories in case Weight category: 23 to 50 kg Condition: Unused Location: D12	50€
464	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-255 Additional information: 220V, 4450W, RPM: 580, max diameter: 255mm, equipped with various accessories Weight category: 23 to 50 kg Condition: Unused Location: D12	120€
470	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-255 Additional information: 220V, 4450W, RPM: 580, max diameter: 255mm, equipped with various accessories Weight category: 23 to 50 kg Condition: Unused Location: D12	120€
471	Quantity: 1 Product category: Diamond drill on stand	120€

Additional information: 220V, 4450W, RPM: 580,

AUCTIM - MOYERSOEN NV

Brand: Tong Siko Model: Z1Z-ST-255

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



	max diameter: 255mm, equipped with various accessories Weight category: 23 to 50 kg Condition: Unused Location: D12	
472	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-255 Additional information: 220V, 4450W, RPM: 580, max diameter: 255mm, equipped with various accessories Weight category: 23 to 50 kg Condition: Unused Location: D12	120€
473	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-255 Additional information: 220V, 4450W, RPM: 580, max diameter: 255mm, equipped with various accessories Weight category: 23 to 50 kg Condition: Unused Location: D12	120€
475	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-160 Additional information: 220V, 2180W, RPM: 1600, max diameter: 160mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€



476	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-160 Additional information: 220V, 2180W, RPM: 1600, max diameter: 160mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
477	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-160 Additional information: 220V, 2180W, RPM: 1600, max diameter: 160mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
478	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-160 Additional information: 220V, 2180W, RPM: 1600, max diameter: 160mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€

VAT BE 0452 153 622



479	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-160 Additional information: 220V, 2180W, RPM: 1600, max diameter: 160mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
480	Quantity: 1 Product category: Diamond drill on stand Brand: Tong Siko Model: Z1Z-ST-160 Additional information: 220V, 2180W, RPM: 1600, max diameter: 160mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
483	Quantity: 1 Product category: Magnetic diamond drill Brand: Tong Siko Model: J1Z-40 Additional information: 220V, 1100W, Max traction: 1200, RPM: 550, max drilling capacity: 40mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
485	Quantity: 1 Product category: Magnetic diamond drill Brand: Tong Siko Model: J1Z-40 Additional information: 220V, 1100W, Max	100€

traction: 1200, RPM: 550, max drilling capacity:

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



	40mm Weight category: 23 to 50 kg Condition: Unused Location: D12	
487	Quantity: 1 Product category: Magnetic diamond drill Brand: Tong Siko Model: J1Z-40 Additional information: 220V, 1100W, Max traction: 1200, RPM: 550, max drilling capacity: 40mm Weight category: 23 to 50 kg Condition: Unused Location: D12	100€
488	Quantity: 1 Product category: Hammer drill Brand: Tong Siko Model: Z1G-ST-95 Additional information: 240V, 3500W, RPM:1800 Weight category: 23 to 50 kg Condition: Unused Location: D12	80€
490	Quantity: 1 Product category: Hammer drill Brand: Tong Siko Model: Z1G-ST-95 Additional information: 240V, 3500W, RPM:1800 Weight category: 23 to 50 kg Condition: Unused Location: D12	80€



496 Quantity: 1 80€

Product category: Hammer drill

Brand: Tong Siko Model: Z1G-ST-95

Additional information: 240V, 3500W, RPM:1800

Weight category: 23 to 50 kg

Condition: Unused Location: D12



497 Quantity: 1

Product category: Hammer drill

Brand: Tong Siko Model: Z1G-ST-95

Additional information: 240V, 3500W, RPM:1800

Weight category: 23 to 50 kg

Condition: Unused Location: D12



498 Quantity: 1

Product category: Hammer drill

Brand: Tong Siko Model: Z1G-ST-95

Additional information: 240V, 3500W, RPM:1800

Weight category: 23 to 50 kg

Condition: Unused Location: D12



499 Quantity: 1

Product category: Hammer drill

Brand: Tong Siko Model: Z1G-ST-95

Additional information: 240V, 3500W, RPM:1800

Weight category: 23 to 50 kg

Condition: Unused Location: D12

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be

80€

80€



	500	Quantity: 1 Product category: Hammer drill Brand: Tong Siko Model: Z1G-ST-95 Additional information: 240V, 3500W, RPM:1800 Weight category: 23 to 50 kg Condition: Unused Location: D12	80€
	501	Quantity: 1 Product category: Hammer drill Brand: Tong Siko Model: Z1G-ST-95 Additional information: 240V, 3500W, RPM:1800 Weight category: 23 to 50 kg Condition: Unused Location: D12	80€
Archinon Co	527	Quantity: 1 Product Category: Cargo Trolley Brand: NN Weight Category: 23 to 50 kg Condition: Unused Location: D12	50€
Partition (Co.)	528	Quantity: 1 Product Category: Cargo Trolley Brand: NN Weight Category: 23 to 50 kg Condition: Unused Location: D12	50€

VAT BE 0452 153 622



Column Co	529	Quantity: 1 Product Category: Cargo Trolley Brand: NN Weight Category: 23 to 50 kg Condition: Unused Location: D12	50€
	536	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 500kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	40€
Service Control of the Control of th	537	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 2000kg, length: 2.5 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	40€
audim.com	538	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 2000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	40€



Delinor.	540	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 2000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	40€
(See to contract to the contra	541	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 12 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	50€
A A PROPERTY OF THE PARTY OF TH	544	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€



	545	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
	546	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
	547	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 6 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
nation con	549	Quantity: 1	30€

Product category: chain hoist

Weight category: 23 to 50 kg

Additional information: max capacity: 1000kg,

Brand: NN Model: HS-C

length: 3 meters

AUCTIM - MOYERSOEN NV

www.auctim.com info.moyersoen@auctim.be



		Condition: Unused Location: D12	
ENGINEER CE THE PARTY OF THE PA	550	Quantity: 1 Product category: chain hoist Brand: NN Model: HS-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
Reference	551	Quantity: 1 Product category: chain hoist Brand: NN Model: HS-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
	552	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€



	553	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
	554	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
	555	Quantity: 1 Product category: chain hoist Brand: NN Model: HSZ-C Additional information: max capacity: 1000kg, length: 3 meters Weight category: 23 to 50 kg Condition: Unused Location: D12	30€
ALLUCES COMMITTE STRUCK STRUCK (1997) SOUTH SOUTH (1997) SOUTH SOUTH (1997) SOUTH (561	Quantity: 1 Product category: hydraulic jack 20 ton Brand: NN	40€

Additional information: max height: 20", working

pressure: 90-120PSI, max cap: 20 ton

Weight category: 0 to 23 kg

Condition: Unused

AUCTIM - MOYERSOEN NV



		Location: D12	
CHARTY 20 TOUS A MINIST 149 JUST 3-1117	562	Quantity: 1 Product category: hydraulic jack 20 ton Brand: NN Additional information: max height: 20", working pressure: 90-120PSI, max cap: 20 ton Weight category: 0 to 23 kg Condition: Unused Location: D12	40€
COMMITTE STREET AMERICAL PLAT SATIST WHITE TO STREET WHITE TO STREET SATIST SAT	563	Quantity: 1 Product category: hydraulic jack 20 ton Brand: NN Additional information: max height: 20", working pressure: 90-120PSI, max cap: 20 ton Weight category: 0 to 23 kg Condition: Unused Location: D12	40€
COMMITTE STREET	564	Quantity: 1 Product category: hydraulic jack 20 ton Brand: NN Additional information: max height: 20", working pressure: 90-120PSI, max cap: 20 ton Weight category: 0 to 23 kg Condition: Unused Location: D12	40€
CEMENTS OF THE STREET OF THE S	565	Quantity: 1 Product category: hydraulic jack 20 ton Brand: NN Additional information: max height: 20", working pressure: 90-120PSI, max cap: 20 ton Weight category: 0 to 23 kg	40€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



		Condition: Unused Location: D12	
COMMITTE THE SHARE AND	566	Quantity: 1 Product category: hydraulic jack 20 ton Brand: NN Additional information: max height: 20", working pressure: 90-120PSI, max cap: 20 ton Weight category: 0 to 23 kg Condition: Unused Location: D12	40€
CHACTIC 20 TOIS BEIGHT - 3-165 S-167	568	Quantity: 1 Product category: hydraulic jack 20 ton Brand: NN Additional information: max height: 20", working pressure: 90-120PSI, max cap: 20 ton Weight category: 0 to 23 kg Condition: Unused Location: D12	40€
	570	Quantity: 4 Product category: gas burner set Brand: NN Weight category: 0 to 23 kg Condition: Unused Location: D12	40€
	573	Quantity: 4 Product category: gas burner set Brand: NN Weight category: 0 to 23 kg Condition: Unused Location: D12	40€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



TAILIC SPA	586	Quantity: 1 Product Category: Mini Polisher Brand: FUDERONG Model: KD-100 Additional Information: Lying in Original Packaging Weight Category: 0 to 23 kg Condition: Unused Location: D11	40€
	601	Quantity: 2 Product category: hydraulic spring tensioners 1Ton Brand: Jiaying Additional information: lying in original packaging Weight category: 23 to 50 kg Condition: Unused Location: D10	50€
	626	Quantity: 1 Product category: heat air curtain Brand: NN Additional information: 230V, 1200x180x230mm Weight category: 0 to 23 kg Condition: Unused Location: D6	50€
	627	Quantity: 1 Product category: heat air curtain Brand: NN Additional information: 230V, 1200x180x230mm Weight category: 0 to 23 kg Condition: Unused Location: D6	50€



630	Quantity: 1 Product category: heat air curtain Brand: NN Additional information: 230V, 1000x180x230mm Weight category: 0 to 23 kg Condition: Unused Location: D6	50€
651	Quantity: 1 Product category: mobile industrial water cooler Brand: NN Model: 1HP Additional information: power: 1280W, year of manufacture: 2019, 220V, dimensions: 520x800x750mm Weight category: 100 to 250 kg Condition: Unused Location: D10	150€
657	Quantity: 1 Product category: electric boiler Brand: NN Model: DSCZ80 Additional information: 220V, 2000W, 80 liters Weight category: 23 to 50 kg Condition: Unused Location: D6	50€
670	Quantity: 1 Product category: Tennis stringing machine Brand: NN Additional information: in original packaging Weight category: 23 to 50 kg Condition: Unused Location: D5	100€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



mead en man and a second and a	672	Quantity: 1 Product category: electric trolley for hoist Brand: NN Additional information: in original packaging Weight category: 23 to 50 kg Condition: Unused Location: D5	40€
	678	Quantity: 4 Product category: cargo trolleys Brand: NN Model: 6 Ton Additional information: in original packaging Weight category: 50 to 100 kg Condition: Unused Location: D5	80€
	680	Quantity: 4 Product category: cargo trolleys Brand: NN Model: 6 Ton Additional information: in original packaging Weight category: 50 to 100 kg Condition: Unused Location: D5	80€
	681	Quantity: 4 Product category: cargo trolleys Brand: NN Model: 6 Ton Additional information: in original packaging Weight category: 50 to 100 kg Condition: Unused Location: D5	80€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



Marian San San San San San San San San San S	690	Quantity: 7 Product category: levers for motorboats Brand: NN Additional information: in original packaging Weight category: 0 to 23 kg Condition: Unused Location: D5	70€
	706	Quantity: 6 Product category: Various press jaws Brand: NN Additional information: including TH26 Weight category: 0 to 23 kg Condition: Unused Location: D5	60€
	715	Quantity: 1 Product category: profile clamp Brand: NN Model: 5 Ton Additional information: Beam width: 80-320mm, S.W.L: 5Ton Weight category: 0 to 23 kg Condition: Unused Location: D5	50€
	718	Quantity: 1 Product category: profile clamp Brand: NN Model: 2 Ton Additional information: Beam width: 75-230mm, S.W.L: 2Ton Weight category: 0 to 23 kg Condition: Unused	50€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622



		Location: D5	
	719	Quantity: 1 Product category: profile clamp Brand: NN Model: 2 Ton Additional information: Beam width: 75-230mm, S.W.L: 2Ton Weight category: 0 to 23 kg Condition: Unused Location: D5	50€
auctim.com	720	Quantity: 1 Product category: profile clamp Brand: NN Model: 1 Ton Additional information: Beam width: 75-230mm, S.W.L: 1Ton Weight category: 0 to 23 kg Condition: Unused Location: D5	50€
The state of the s	721	Quantity: 1 Product category: profile clamp Brand: NN Model: 1 Ton Additional information: Beam width: 75-230mm, S.W.L: 1Ton Weight category: 0 to 23 kg Condition: Unused Location: D5	50€



Tall and the same of the same	722	Quantity: 1 Product category: profile clamp Brand: NN Model: 1 Ton Additional information: Beam width: 75-230mm, S.W.L: 1Ton Weight category: 0 to 23 kg Condition: Unused Location: D5	50€
	724	Quantity: 1 Product category: profile clamp Brand: NN Model: 3 Ton Additional information: Beam width: 80-320mm, S.W.L: 3Ton Weight category: 0 to 23 kg Condition: Unused Location: D5	50€
auclim.com	725	Quantity: 1 Product Category: Inverter Brand: NN Model: RP 2024E Additional Information: DC Input: 24VDC, Max Charge: 35A, AC Output: 200-240VAC, 200W Weight Category: 0 to 23 kg Condition: Unused Location: D5	50€
	726	Quantity: 1 Product Category: Inverter Brand: NN Model: RP 2024E Additional Information: DC Input: 24VDC, Max Charge: 35A, AC Output: 200-240VAC, 200W Weight Category: 0 to 23 kg	50€

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 $\begin{tabular}{ll} www.auctim.com \\ info.moyersoen@auctim.be \\ \end{tabular}$



	Condition: Unused Location: D5	
727	Quantity: 1 Product Category: Inverter Brand: NN Model: RP 2024E Additional Information: DC Input: 24VDC, Max Charge: 35A, AC Output: 200-240VAC, 200W Weight Category: 0 to 23 kg Condition: Unused Location: D5	50€
728	Quantity: 1 Product Category: Inverter Brand: NN Model: RP 2024E Additional Information: DC Input: 24VDC, Max Charge: 35A, AC Output: 200-240VAC, 200W Weight Category: 0 to 23 kg Condition: Unused Location: D5	50€
733	Quantity: 1 Product category: Repair seperator machine for LCD screens Brand: BOZAN Model: S500 Additional information: in original packaging Weight category: 0 to 23 kg Condition: Unused Location: D5	40€



886	Quantity: 2 Product category: banknote counters Brand: NN Dimensions mm (LxWxH): 320x288x205 Weight category: 0 to 23 kg Condition: Unused Lying in / on: Original packaging Location: B12 Voltage (V): 230	20€
894	Quantity: 1 Product category: Ice shaver Model: 168 Voltage (V): 220 Additional information: 250W Dimensions mm (LxWxH): 290x390x430 Weight category: 0 to 23 kg Condition: Unused Lying in / on: Storage case Location: C8	50€
898	Quantity: 1 Product category: Manual trimming machine Brand: NN Dimensions mm (LxWxH): diameter: 360mm Weight category: 0 to 23 kg Condition: Unused Lying in / on: Original packaging Location: C8	10€
901	Quantity: 1 Product category: Manual trimming machine Brand: NN Dimensions mm (LxWxH): diameter: 540mm Weight category: 0 to 23 kg Condition: Unused Lying in / on: Original packaging	10€

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 $\begin{tabular}{ll} www.auctim.com \\ info.moyersoen@auctim.be \\ \end{tabular}$



	Location: C8	
913	Quantity: 1 Product category: Bone saw Brand: NN Model: JG-210C Voltage (V): 220 Additional information: 850W Dimensions mm (LxWxH): 500x500x1060 Weight category: 50 to 100 kg Condition: Unused Lying in / on: Original packaging Location: C8	150€
931	Quantity: 1 Product category: Stainless steel ice cube machine Brand: NN Model: Y130B Additional information: 220V, 256W, capacity: 10kg, coolant: R134A Dimensions mm (LxWxH): 430x360x760 Weight category: 23 to 50 kg Condition: Unused Lying in / on: Original packaging Location: C8	100€
932	Quantity: 1 Product category: Stainless steel ice cube machine Brand: NN Model: Y130B Additional information: 220V, 256W, capacity: 10kg, coolant: R134A Dimensions mm (LxWxH): 430x360x760 Weight category: 23 to 50 kg Condition: Unused	100€

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



	Lying in / on: Original packaging Location: C8	
934	Quantity: 1 Product category: Stainless steel ice cube machine Brand: NN Model: Y130B Additional information: 220V, 256W, capacity: 10kg, coolant: R134A Dimensions mm (LxWxH): 430x360x760 Weight category: 23 to 50 kg Condition: Unused Lying in / on: Original packaging Location: C8	100€
935	Quantity: 1 Product category: Stainless steel ice cube machine Brand: NN Model: Y130B Additional information: 220V, 256W, capacity: 10kg, coolant: R134A Dimensions mm (LxWxH): 430x360x760 Weight category: 23 to 50 kg Condition: Unused Lying in / on: Original packaging Location: C8	100€
936	Quantity: 1 Product category: Stainless steel ice cube machine Brand: NN Model: Y130B Additional information: 220V, 256W, capacity: 10kg, coolant: R134A Dimensions mm (LxWxH): 430x360x760	100€

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



Weight category: 23 to 50 kg

Condition: Unused

Lying in / on: Original packaging

Location: C8



3063 | Quantity: 1

Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection. MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small watercooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



Location: C7



3071 | Quantity: 1

Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat guickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection. MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small watercooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





3080 | Quantity: 1

Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection. MULTIPLE APPLICATION: The professional CW-

3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection mechanisms, such as water flow, high/low

temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





3087 | Quantity: 1

Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection

and compressor overcurrent protection.
MULTIPLE APPLICATION: The professional CW3000 series water chiller industrial machine is
suitable for machines that require small watercooled chiller. The industrial cooler has patent
certificate, CE and ROHS certificate. It is designed
to cool 60W/80W CO2 glass laser tube in laser
engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional industrial cooler has multiple warning protection

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser engraving and cutting machine.

Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be





Product category: Industrial water cooler

Type: CW-3000

Additional information: 220V,

Current: 0.45-0.9A, Frequency: 50Hz,

Radiating capacity:50W/°C

Max. pump lift: 8M

Dimensions: 260 x 460 x 360 mm

PRODUCT PARAMETERS: The CW-3000 industrial water cooler has a capacity of 10 L, a maximum flow rate of 10 L, a cooling of 50 W/°C, a voltage of 220 V, a frequency of 60 HZ and a current of

0.45 A.

EFFECTIVE COOLING FAN: The industrial cooler has a professional forced cooling heater, high heat dissipation capacity and not easy to block. High-speed fans inside remove heat quickly. Precise thermostat: Equipped with precise temperature control, the temperature can be adjusted as needed. Real-time temperature monitoring allows you to accurately monitor the working condition of the water cooler. VARIOUS ALARM FUNCTIONS: This professional

industrial cooler has multiple warning protection mechanisms, such as water flow, high/low temperature alarm, compressor delay protection and compressor overcurrent protection.

MULTIPLE APPLICATION: The professional CW-3000 series water chiller industrial machine is suitable for machines that require small water-cooled chiller. The industrial cooler has patent certificate, CE and ROHS certificate. It is designed to cool 60W/80W CO2 glass laser tube in laser

engraving and cutting machine. Weight category: 23 to 50 kg

Condition: Unused

Location: C7

www.auctim.com info.moyersoen@auctim.be