

CATALOG

Parquet & Laminate Flooring

| | |
|---------------------------|--|
| DESCRIPTION | Auction of parquet, laminate, underlay, and skirting boards. |
| START | 4 november 2025 to 09:00 [UTC] |
| END DATE | 14 november 2025 from 15:00 [UTC] |
| VIEWING | <ul style="list-style-type: none">---Monday November 10 2025 from 10:00 until 12:00 BE-2500 Lier, Schaarbroek 3 |
| AUCTIM PARTNER | MOYERSOEN NV Helststraat 47, 2630 Aartselaar, Belgium +32 3 827 21 31 - info.moyersoens@auctim.be BTW BE 0452 153 622 |
| ISSUE - COLLECTION | <ul style="list-style-type: none">---Thursday November 20 2025 from 10:00 until 12:00 BE-2500 Lier, Schaarbroek 3 |





Online bidding only!

Catalog created on 14 november 2025 to 04:00



| | Item | Description | Start price |
|---|------|--|-------------|
|  | 1 | Quantity: 90.6 m ² Product category: 10mm Veneer Parquet Additional information: 90.6 m ² 10.1mm Veneer Parquet, color: 61001275, low-knot, with insulation, 1mm XPS, Aluloc Prime click system, dimensions: 2410x241x10mm, Berry Alloc Weight category: 250 to 1,000 kg Condition: New | 50€ |
|  | 2 | Quantity: 90.6 m ² Product category: 10mm Veneer Parquet Additional information: 90.6 m ² 10.1mm Veneer Parquet, color: 61001276, knot-free, with insulation, 1mm XPS, Aluloc Prime click system, dimensions: 2410x241x10mm, Berry Alloc Weight category: 250 to 1,000 kg Condition: New | 50€ |
|  | 3 | Quantity: 29.04 m ² Product category: Coretec SPC 8mm Additional information: 29.04 m ² Coretec SPC flooring, 100% waterproof, wear-resistant, acoustically absorbing, 4x V-groove, color: 531, dimensions: 1220x181x8mm Weight category: 250 to 1000 kg Condition: New | 50€ |



| | | | |
|---|---|--|-----|
|  | 4 | Quantity: 21.44 m ² Product category: Coretec SPC 5mm Additional information: 21.44 m ² Coretec SPC flooring, 100% waterproof, wear-resistant, acoustically absorbing, 4x V-groove, color: Imperial, dimensions: 1220x183x5mm Weight capacity: 250 to 1000 kg Condition: New | 50€ |
|  | 5 | Quantity: 109.2 m ² Product category: 8mm laminate flooring Additional information: 109.2 m ² 8mm laminate flooring, color: Virgin Oak, click system, 4x V-groove, AC5 class, brand: Krono, dimensions: 2003x245x8mm Weight capacity: 250 to 1000 kg Condition: New | 50€ |
|  | 6 | Quantity: 68.6 m ² Product category: 12mm laminate flooring Additional information: 68.6 m ² 12mm laminate flooring, color: Summer Breeze oak, click system, 4x V-groove, AC5 class, brand: Krono, dimensions: 2003x245x12mm Weight category: 250 to 1000 kg Condition: New | 50€ |
|  | 7 | Quantity: 86.64 m ² Product category: Oak multi-layer parquet flooring Additional information: 86.64 m ² Oak multi-layer parquet flooring, matt lacquered, brushed, color: Natural, tongue and groove, suitable for underfloor heating, dimensions: 1900x190x14mm, 3mm top layer Weight category: 250 to 1,000 kg Condition: New | 50€ |






| | | | |
|---|----|--|-----|
| | | | |
|  | 8 | <p>Quantity: 25.70 m² Product category: Oak multi-layer parquet flooring Additional information: 25.70 m² Oak multi-layer parquet flooring, matt lacquered, brushed, color: Natural, tongue and groove, suitable for underfloor heating, micro V-groove, dimensions: 1700x189x15mm</p> <p>Weight category: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |
|  | 9 | <p>Quantity: 115.52 m² Product category: Oak multi-layer parquet flooring Additional information: 115.52 m² Oak multi-layer parquet flooring, oiled, brushed, color: Flensburg, tongue and groove for gluing, suitable for underfloor heating, dimensions: 1900x190x14mm</p> <p>Weight category: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |
|  | 10 | <p>Quantity: 46.8 m² Product category: 5mm PVC tiles Additional information: 46.8 m² 5mm PVC tiles, brand: Kronospan, color: Greige Babylon, waterproof, scratch-resistant, suitable for underfloor heating, 4x V-groove, click system, dimensions: 600x295x5mm</p> <p>Weight capacity: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |










| | | | |
|---|----|--|-----|
|  | 11 | Quantity: 50.7 m ² Product category: 5mm PVC tiles Additional information: 50.7 m ² 5mm PVC tiles, brand: Kronospan, color: Venato, waterproof, scratch-resistant, suitable for underfloor heating, 4x V-groove, click system, dimensions: 600x295x5mm Weight category: 250 to 1,000 kg Condition: New | 50€ |
|  | 12 | Quantity: 42 m ² Product category: 5mm PVC tiles Additional information: 42 m ² 5mm PVC tiles, brand: Kronospan, color: Como, waterproof, scratch-resistant, suitable for underfloor heating, 4x V-groove, click system, dimensions: 600x295x5mm Weight category: 250 to 1,000 kg Condition: New | 50€ |
|  | 13 | Quantity: 59.34 m ² Product category: 5mm PVC flooring Additional information: 59.34 m ² PVC flooring, color: 565, waterproof, scratch-resistant, V-groove, click system, dimensions: 1235x178x5mm Weight capacity: 250 to 1,000 kg Condition: New | 50€ |
|  | 14 | Quantity: 57.12 m ² Product category: 4mm PVC Flooring Additional information: 57.12 m ² PVC flooring, color: matanta smokey, waterproof, V-groove, click system, dimensions: 1220x229x4mm Weight capacity: 250 to 1000 kg | 50€ |







| | | | |
|---|----|--|-----|
| | | Condition: New | |
|  | 15 | <p>Quantity: 45 m² Product category: Oak multi-layer parquet flooring</p> <p>Additional information: 45 m² Oak multi-layer parquet flooring, lacquered, brushed, color: MRA, click system, suitable for underfloor heating, dimensions: 1900x190x15mm, 3mm top layer, made in Belgium</p> <p>Weight category: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |
|  | 16 | <p>Quantity: 45 m² Product category: Oak multi-layer parquet flooring</p> <p>Additional information: 45 m² Oak multi-layer parquet flooring, lacquered, brushed, color: STRN, click system, suitable for underfloor heating, dimensions: 1900x190x15mm, 3mm top layer, made in Belgium</p> <p>Weight category: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |
|  | 17 | <p>Quantity: 64.99 m²</p> <p>Product category: SPC floor cork insulation Additional information: 64.99 m² SPC floor, cork insulation, color: 260, dimensions: 1220x185x9mm</p> <p>Weight category: 250 to 1000 kg</p> | 50€ |






| | | | |
|---|----|--|-----|
| | | Condition: New | |
|  | 18 | <p>Quantity: 77.23 m²</p> <p>Product category: SPC floor cork insulation Additional information: 77.23 m² SPC floor, cork insulation, color: Colossal Shadow Oak, dimensions: 1840x220x8mm</p> <p>Weight category: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |
|  | 19 | <p>Quantity: 25.24 m²</p> <p>Product category: SPC floor cork insulation Additional information: 25.24 m² SPC floor, cork insulation, color: Nougat Oak, A+ emission label, Dimensions: 1220x185x10.5mm</p> <p>Weight category: 250 to 1000 kg</p> <p>Condition: New</p> | 50€ |
|  | 20 | <p>Quantity: 99.68 m²</p> <p>Product category: 8mm Laminate Flooring</p> <p>Additional information: 99.68 m² 8mm Laminate, color: Summer Oak, click system, 4x V-groove, dimensions: 1380x244x8 mm</p> <p>Weight capacity: 250 to 1000 kg</p> <p>Condition: New</p> | 50€ |




| | | | |
|---|----|--|-----|
|  | 21 | <p>Quantity: 75.84 m² Product category: 8mm Laminate Flooring Additional information: 75.84 m² 8mm Laminate, color: San Marino, AC32, click system, 4x V-groove, dimensions: 1380x191x8 mm</p> <p>Weight capacity: 250 to 1000 kg</p> <p>Condition: New</p> | 50€ |
|  | 22 | <p>Quantity: 71.74 m² Product category: 4mm PVC flooring Additional information: 71.74 m² Vinyl/PVC, color: Linen, click system, dimensions: 1213x176x4mm Weight capacity: 250 to 1000 kg Condition: New</p> | 50€ |
|  | 23 | <p>Quantity: 80.89 m² Product category: 8mm Laminate Flooring Additional information: 80.89 m² 8mm Laminate, color: Oak Grey Brown, click system, suitable for underfloor heating, 4x V-groove, dimensions: 1285x192x8 mm</p> <p>Weight capacity: 250 to 1000 kg</p> <p>Condition: New</p> | 50€ |
|  | 24 | <p>Quantity: 113m² Product category: 8mm laminate flooring Additional information: 113 m² 8mm laminate flooring, color: Celeste oak, click system, V-groove, dimensions: 1231x192x8mm Weight capacity: 250 to 1,000 kg Condition: New</p> | 50€ |







| | | | |
|---|----|---|-----|
|  | 25 | <p>Quantity: 81.79 m² Product category: 6mm laminate flooring Additional information: 81.79 m² 6mm laminate, color: Budget, click system, V-groove, dimensions: 1376x193x6mm Weight capacity: 250 to 1000 kg Condition: New</p> | 50€ |
|  | 26 | <p>Quantity: 163.58 m² Product category: 6mm laminate flooring Additional information: 163.58 m² 6mm laminate, color: Budget, click system, V-groove, dimensions: 1376x193x6mm Weight capacity: 250 to 1000 kg Condition: New</p> | 50€ |
|  | 27 | <p>Quantity: 88.48 m² Product category: 12mm laminate flooring Additional information: 88.48 m² 12mm Gloria laminate, color: Anthracite, click system, class AC5-33, dimensions: 190x1380x12mm Weight category: 250 to 1000 kg Condition: New</p> | 50€ |
|  | 28 | <p>Quantity: 10.53 m² Product category: Wall panels Additional information: 10.53 m² wall panels, easy to install, flexible, helps with sound insulation Weight category: 250 to 1,000 kg Condition: New</p> | 50€ |

| | | | |
|---|----|---|-----|
|  | 29 | <p>Quantity: 16.2 m² Product category: Wall panels</p> <p>Additional information: 16.2 m² wall panels, easy to install, flexible, helps with sound insulation, UV-coated</p> <p>Weight category: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |
|  | 30 | <p>Quantity: 12.29 m² Product category: Wall panels</p> <p>Additional information: 12.29 m² wall panels, easy to install, flexible, helps with sound insulation</p> <p>Weight category: 250 to 1,000 kg</p> <p>Condition: New</p> | 50€ |
|  | 31 | <p>Quantity: 5 Product Category: Pots</p> <p>Brand: Tovcol</p> <p>Model: TP2C</p> <p>Additional Information: Tovcol TP2C is a solvent-free, two-component epoxy-polyurethane adhesive with high adhesion and elasticity, ideal for all types of wooden floors, including underfloor heating.</p> <p>One 11 kg pot is sufficient for approximately 7-10 m², depending on the trowel used and the substrate.</p> <p>Weight Category: 50 to 100 kg</p> <p>Condition: New</p> | 50€ |





| | | | |
|---|----|---|-----|
|  | 32 | <p>Quantity: 10 Product Category: Pots Brand: Tovcol Model: TP2C Additional Information: Tovcol TP2C is a solvent-free, two-component epoxy-polyurethane adhesive with high adhesion and elasticity, ideal for all types of wooden floors, including underfloor heating. One 11 kg pot is sufficient for approximately 7-10 m², depending on the trowel used and the substrate. Weight Category: 50 to 100 kg Condition: New</p> | 50€ |
|  | 33 | <p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of aluminum sound eliminator, thickness: 2 mm, sound-reducing, vapor-tight, with a 100mm overlap, slightly leveling, suitable for underfloor heating, per roll: 15 m², total: 90 m². Weight category: 0 to 23 kg Condition: New</p> | 50€ |
|  | 34 | <p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of aluminum sound eliminator, thickness: 2 mm, sound-reducing, vapor-tight, with a 100mm overlap, slightly leveling, suitable for underfloor heating, per roll: 15 m², total: 90 m². Weight category: 0 to 23 kg Condition: New</p> | 50€ |



| | | | |
|---|----|--|-----|
|  | 35 | <p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of aluminum sound eliminator, thickness: 2 mm, sound-reducing, vapor-tight, with a 100mm overlap, slightly leveling, suitable for underfloor heating, per roll: 15 m², total: 90 m².</p> <p>Weight category: 0 to 23 kg Condition: New</p> | 50€ |
|  | 36 | <p>Quantity: 10 Product category: underlay packs Additional information: 10 underlay packs, brand: Comfort Super, thickness: 5mm, per pack: 5m², total approx.: 50m², compression-resistant, 22dB impact sound insulation, excellent thermal insulation, leveling properties. Weight category: 0 to 23 kg Condition: New</p> | 50€ |
|  | 37 | <p>Quantity: 10 Product category: underlay packs Additional information: 10 underlay packs, brand: Comfort Super, thickness: 5mm, per pack: 5m², total approx.: 50m², compression-resistant, 22dB impact sound insulation, excellent thermal insulation, leveling properties. Weight category: 0 to 23 kg Condition: New</p> | 50€ |
|  | 38 | <p>Quantity: 10 Product category: underlay packs Additional information: 10 underlay packs, brand: Comfort Super, thickness: 5mm, per pack: 5m², total approx.: 50m², compression-resistant, 22dB impact sound insulation, excellent thermal</p> | 50€ |



| | | | |
|--|----|---|-----|
| | | insulation, leveling properties. Weight category: 0 to 23 kg Condition: New | |
|  | 39 | Quantity: 15 Product category: MDF skirting boards Additional information: 15 x MDF skirting board, dimensions: 2400(L)x120(H)x15(D)mm, colour: RAL9010, to be glued Weight category: 50 to 100 kg Condition: New | 50€ |
|  | 40 | Quantity: 15 Product category: MDF skirting boards Additional information: 15 x MDF skirting board, dimensions: 2400(L)x120(H)x15(D)mm, colour: RAL9010, to be glued Weight category: 50 to 100 kg Condition: New | 50€ |