



**CATALOG**  
PARQUET & LAMINATE

<b>DESCRIPTION</b>	Auction of parquet, laminate, underlay and skirting boards.
<b>START</b>	8 december 2025 to 09:00 [UTC]
<b>END DATE</b>	18 december 2025 from 18:00 [UTC]
<b>VIEWING</b>	<ul style="list-style-type: none"><li>• --- Monday December 15 2025 from 10:00 until 12:00 BE-2500 Lier, Schaarbroek 3</li></ul>
<b>AUCTIM PARTNER</b>	<b>MOYERSOEN NV</b> Helststraat 47, 2630 Aartselaar, Belgium +32 3 827 21 31 - info.moyersoen@auctim.be BTW BE 0452 153 622
<b>ISSUE - COLLECTION</b>	<ul style="list-style-type: none"><li>• --- Friday December 26 2025 from 10:00 until 12:00 BE-2500 Lier, Schaarbroek 3</li></ul>

**Online bidding only!**

Catalog created on 18 december 2025 to 04:04



	Item	Description	Start price
	1	Quantity: 83.5 m <sup>2</sup> Product category: 10mm Veneer Parquet Additional information: 83.5 m <sup>2</sup> 10.1mm Veneer Parquet, color: 61001280, low-knot, with insulation, 1mm XPS, Aluloc Prime click system, dimensions: 2410x241x10mm, Berry Alloc Weight category: 250 to 1,000 kg Condition: New	100€
	2	Quantity: 69.69 m <sup>2</sup> Product category: 10mm Veneer Parquet Additional information: 69.69 m <sup>2</sup> 10.1mm Veneer Parquet, color: 61001276, knot-free, with insulation, 1mm XPS, Aluloc Prime click system, dimensions: 2410x241x10mm, Berry Alloc Weight category: 250 to 1,000 kg Condition: New	100€
	3	Quantity: 106.56 m <sup>2</sup> Product category: Solid oak parquet 30x12 cm Additional information: 106.56 m <sup>2</sup> Solid oak parquet, untreated, tongue and groove for gluing, dimensions: 30x12 cm, 18 mm thick Weight capacity: 250 to 1,000 kg Condition: New	100€
	4	Quantity: 90.72 m <sup>2</sup> Product category: Solid oak parquet 70x12 cm Additional information: 90.72 m <sup>2</sup> solid oak parquet, can also be installed vertically, untreated, tongue and groove for gluing, dimensions: 70x12 cm, 18 mm thick Weight category: 250 to 1,000 kg Condition: New	100€



	5	Quantity: 90.72 m <sup>2</sup> Product category: Solid oak parquet 70x12 cm Additional information: 90.72 m <sup>2</sup> solid oak parquet, can also be installed vertically, untreated, tongue and groove for gluing, dimensions: 70x12 cm, 18 mm thick Weight category: 250 to 1,000 kg Condition: New	100€
	6	Quantity: 87.84 m <sup>2</sup> Product category: Solid oak parquet 100x12 cm Additional information: 87.84 m <sup>2</sup> Solid oak parquet, can also be laid in a herringbone pattern, untreated, tongue and groove for gluing, dimensions: 100x12 cm, 18mm thick Weight category: 250 to 1,000 kg Condition: New	100€
	7	Quantity: 21.44 m <sup>2</sup> Product category: Coretec SPC 5mm Additional information: 21.44 m <sup>2</sup> Coretec SPC flooring, 100% waterproof, wear-resistant, acoustically absorbing, 4x V-groove, color: Imperial, dimensions: 1220x183x5mm Weight capacity: 250 to 1000 kg Condition: New	100€
	8	Quantity: 29.04 m <sup>2</sup> Product category: Coretec SPC 8mm Additional information: 29.04 m <sup>2</sup> Coretec SPC flooring, 100% waterproof, wear-resistant, acoustically absorbing, 4x V-groove, color: 531, dimensions: 1220x181x8mm Weight category: 250 to 1000 kg Condition: New	100€



	9	Quantity: 52.92 m <sup>2</sup> Product category: 12mm laminate flooring Additional information: 52.92 m <sup>2</sup> 12mm laminate flooring, color: Summer Breeze oak, click system, 4x V-groove, AC5 class, brand: Krono, dimensions: 2003x245x12mm Weight category: 250 to 1000 kg Condition: New	100€
	10	Quantity: 46.8 m <sup>2</sup> Product category: 5mm PVC tiles Additional information: 46.8 m <sup>2</sup> 5mm PVC tiles, brand: Kronospan, color: Greige Babylon, waterproof, scratch-resistant, suitable for underfloor heating, 4x V-groove, click system, dimensions: 600x295x5mm Weight capacity: 250 to 1,000 kg Condition: New	100€
	11	Quantity: 50.7 m <sup>2</sup> Product category: 5mm PVC tiles Additional information: 50.7 m <sup>2</sup> 5mm PVC tiles, brand: Kronospan, color: Venato, waterproof, scratch-resistant, suitable for underfloor heating, 4x V-groove, click system, dimensions: 600x295x5mm Weight category: 250 to 1,000 kg Condition: New	100€



 <p>NO VALID IMAGE URL</p>	12	<p>Quantity: 42 m<sup>2</sup> Product category: 5mm PVC tiles Additional information: 42 m<sup>2</sup> 5mm PVC tiles, brand: Kronospan, color: Como, waterproof, scratch-resistant, suitable for underfloor heating, 4x V-groove, click system, dimensions: 600x295x5mm Weight category: 250 to 1,000 kg Condition: New</p>	100€
 <p>NO VALID IMAGE URL</p>	13	<p>Quantity: 49.46 m<sup>2</sup> Product category: 5mm PVC flooring Additional information: 49.46 m<sup>2</sup> PVC flooring, color: 565, waterproof, scratch-resistant, V- groove, click system, dimensions: 1235x178x5mm Weight capacity: 250 to 1,000 kg Condition: New</p>	100€
 <p>NO VALID IMAGE URL</p>	14	<p>Quantity: 57.12 m<sup>2</sup> Product category: 4mm PVC Flooring Additional information: 57.12 m<sup>2</sup> PVC flooring, color: matanta smokey, waterproof, V-groove, click system, dimensions: 1220x229x4mm  Weight capacity: 250 to 1000 kg  Condition: New</p>	100€
 <p>NO VALID IMAGE URL</p>	15	<p>Quantity: 45 m<sup>2</sup> Product category: Oak multi-layer parquet flooring  Additional information: 45 m<sup>2</sup> Oak multi-layer parquet flooring, lacquered, brushed, color: MRA, click system, suitable for underfloor heating, dimensions: 1900x190x15mm, 3mm top layer, made in Belgium</p>	100€



		Weight category: 250 to 1,000 kg Condition: New	
	16	Quantity: 45 m <sup>2</sup> Product category: Oak multi-layer parquet flooring  Additional information: 45 m <sup>2</sup> Oak multi-layer parquet flooring, lacquered, brushed, color: STRN, click system, suitable for underfloor heating, dimensions: 1900x190x15mm, 3mm top layer, made in Belgium  Weight category: 250 to 1,000 kg Condition: New	100€
	17	Quantity: 109.2 m <sup>2</sup> Product category: 8mm laminate flooring  Additional information: 109.2 m <sup>2</sup> 8mm laminate flooring, color: Virgin Oak, click system, 4x V-groove, AC5 class, brand: Krono, dimensions: 2003x245x8mm  Weight capacity: 250 to 1000 kg Condition: New	100€



	18	Quantity: 53.46 m <sup>2</sup>  Product category: SPC floor cork insulation Additional information: 53.46 m <sup>2</sup> SPC floor, cork insulation, color: Colossal Shadow Oak, dimensions: 1840x220x8mm  Weight category: 250 to 1000 kg  Condition: New	100€
	19	Quantity: 53.18 m <sup>2</sup> Product category: 10mm laminate flooring Additional information: 53.18 m <sup>2</sup> 10mm laminate flooring, color: Burgaz, click system, suitable for underfloor heating, dimensions: 1290x190x10mm Weight capacity: 250 to 1000 kg Condition: New	100€
	20	Quantity: 45.03 m <sup>2</sup> Product category: 8mm laminate flooring Additional information: 45.03 m <sup>2</sup> laminate flooring, color: Swiss Krono, click system, AC5-32, 24-hour waterproof, dimensions: 1380x191x8mm Weight capacity: 250 to 1000 kg Condition: New	100€
	21	Quantity: 22.20 m <sup>2</sup> Product category: 12mm laminate flooring Additional information: 22.20 m <sup>2</sup> laminate flooring, color: Tomahawk Oak, click system, AC5-33, splashproof, dimensions: 1285x192x12mm Weight category: 250 to 1000 kg Condition: New	100€



 <p>NO VALID IMAGE URL</p>	22	Quantity: 71.74 m <sup>2</sup> Product category: 4mm PVC flooring Additional information: 71.74 m <sup>2</sup> Vinyl/PVC, color: Linen, click system, dimensions: 1213x176x4mm Weight capacity: 250 to 1000 kg Condition: New	100€
 <p>NO VALID IMAGE URL</p>	23	Quantity: 80.89 m <sup>2</sup> Product category: 8mm Laminate Flooring Additional information: 80.89 m <sup>2</sup> 8mm Laminate, color: Oak Grey Brown, click system, suitable for underfloor heating, 4x V-groove, dimensions: 1285x192x8 mm  Weight capacity: 250 to 1000 kg  Condition: New	100€
 <p>NO VALID IMAGE URL</p>	24	Quantity: 113m <sup>2</sup> Product category: 8mm laminate flooring Additional information: 113 m <sup>2</sup> 8mm laminate flooring, color: Celeste oak, click system, V-groove, dimensions: 1231x192x8mm Weight capacity: 250 to 1,000 kg Condition: New	100€
 <p>NO VALID IMAGE URL</p>	25	Quantity: 81.79 m <sup>2</sup> Product category: 6mm laminate flooring Additional information: 81.79 m <sup>2</sup> 6mm laminate, color: Budget, click system, V-groove, dimensions: 1376x193x6mm Weight capacity: 250 to 1000 kg Condition: New	100€



	26	<p>Quantity: 163.58 m<sup>2</sup> Product category: 6mm laminate flooring Additional information: 163.58 m<sup>2</sup> 6mm laminate, color: Budget, click system, V-groove, dimensions: 1376x193x6mm Weight capacity: 250 to 1000 kg Condition: New</p>	100€
	27	<p>Quantity: 88.48 m<sup>2</sup> Product category: 12mm laminate flooring Additional information: 88.48 m<sup>2</sup> 12mm Gloria laminate, color: Anthracite, click system, class AC5-33, dimensions: 190x1380x12mm Weight category: 250 to 1000 kg Condition: New</p>	100€
	28	<p>Quantity: 10.53 m<sup>2</sup> Product category: Wall panels  Additional information: 10.53 m<sup>2</sup> wall panels, easy to install, flexible, helps with sound insulation Weight category: 250 to 1,000 kg  Condition: New</p>	100€
	29	<p>Quantity: 16.2 m<sup>2</sup> Product category: Wall panels  Additional information: 9.72 m<sup>2</sup> wall panels, easy to install, flexible, helps with sound insulation, UV-coated  Weight category: 250 to 1,000 kg  Condition: New</p>	100€



 <p>NO VALID IMAGE URL</p>	30	<p>Quantity: 12.29 m<sup>2</sup> Product category: Wall panels</p> <p>Additional information: 12.29 m<sup>2</sup> wall panels, easy to install, flexible, helps with sound insulation Weight category: 250 to 1,000 kg</p> <p>Condition: New</p>	100€
 <p>NO VALID IMAGE URL</p>	31	<p>Quantity: 5 Product Category: Cans</p> <p>Additional Information: Tovcol TP2C is a solvent-free, two-component epoxy-polyurethane adhesive with high adhesion and elasticity, ideal for all types of wooden floors, including underfloor heating. One 11 kg can is sufficient for approximately 7-10 m<sup>2</sup>, depending on the trowel used and the substrate.</p> <p>Weight Category: 50 to 100 kg Condition: New</p>	50€
 <p>NO VALID IMAGE URL</p>	32	<p>Quantity: 10 Product Category: Cans</p> <p>Additional Information: Tovcol TP2C is a solvent-free, two-component epoxy-polyurethane adhesive with high adhesion and elasticity, ideal for all types of wooden floors, including underfloor heating. One 11 kg can is sufficient for approximately 7-10 m<sup>2</sup>, depending on the trowel used and the substrate.</p> <p>Weight Category: 50 to 100 kg Condition: New</p>	50€



 <p>NO VALID IMAGE URL</p>	33	<p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of aluminum sound eliminator, thickness: 2 mm, sound-reducing, vapor-tight, with a 100mm overlap, slightly leveling, suitable for underfloor heating, per roll: 15 m<sup>2</sup>, total: 90 m<sup>2</sup>.</p> <p>Weight category: 0 to 23 kg Condition: New</p>	50€
 <p>NO VALID IMAGE URL</p>	34	<p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of aluminum sound eliminator, thickness: 2 mm, sound-reducing, vapor-tight, with a 100mm overlap, slightly leveling, suitable for underfloor heating, per roll: 15 m<sup>2</sup>, total: 90 m<sup>2</sup>.</p> <p>Weight category: 0 to 23 kg Condition: New</p>	50€
 <p>NO VALID IMAGE URL</p>	35	<p>Quantity: 6 Product category: underlay rolls Additional information: 6 rolls of aluminum sound eliminator, thickness: 2 mm, sound-reducing, vapor-tight, with a 100mm overlap, slightly leveling, suitable for underfloor heating, per roll: 15 m<sup>2</sup>, total: 90 m<sup>2</sup>.</p> <p>Weight category: 0 to 23 kg Condition: New</p>	50€



 <p>NO VALID IMAGE URL</p>	36	<p>Quantity: 10 Product category: underlay packs Additional information: 10 underlay packs, brand: Comfort Super, thickness: 5mm, per pack: 5m<sup>2</sup>, total approx.: 50m<sup>2</sup>, compression-resistant, 22dB impact sound insulation, excellent thermal insulation, leveling properties. Weight category: 0 to 23 kg Condition: New</p>	50€
 <p>NO VALID IMAGE URL</p>	37	<p>Quantity: 10 Product category: underlay packs Additional information: 10 underlay packs, brand: Comfort Super, thickness: 5mm, per pack: 5m<sup>2</sup>, total area approx.: 50m<sup>2</sup>, compression-resistant, 22dB impact sound insulation, excellent thermal insulation, leveling properties. Weight category: 23 to 50 kg Condition: New</p>	50€
 <p>NO VALID IMAGE URL</p>	38	<p>Quantity: 10 Product category: underlay packs Additional information: 10 underlay packs, brand: Comfort Super, thickness: 5mm, per pack: 5m<sup>2</sup>, total area approx.: 50m<sup>2</sup>, compression-resistant, 22dB impact sound insulation, excellent thermal insulation, leveling properties. Weight category: 23 to 50 kg Condition: New</p>	50€
 <p>NO VALID IMAGE URL</p>	39	<p>Quantity: 10 Product category: MDF Paintable skirting boards Additional information: 10x MDF Paintable skirting boards 2400 x 70 mm Weight category: 50 to 100 kg Condition: New</p>	50€



	40	Quantity: 20 Product category: MDF Paintable skirting boards Additional information: 20x MDF Paintable skirting boards 2400 x 70 mm Weight category: 50 to 100 kg Condition: New	50€
	41	Quantity: 30 Product category: MDF Paintable skirting boards Additional information: 30x MDF Paintable skirting boards 2400 x 70 mm Weight category: 50 to 100 kg Condition: New	50€
	42	Quantity: 10 Product category: MDF romantic skirting board Additional information: 10x MDF romantic skirting board, pre-painted with RAL 9010, dimensions: 2400x120x15mm Weight category: 50 to 100 kg Condition: New	50€
	43	Quantity: 10 Product category: MDF romantic skirting board Additional information: 10x MDF romantic skirting board, pre-painted with RAL 9010, dimensions: 2400x120x15mm Weight category: 50 to 100 kg Condition: New	50€



 <p>NO VALID IMAGE URL</p>	44	Quantity: 30 Product category: oak skirting board Additional information: 30 pieces of oak skirting board, brand: Barlinek, color: gray, length: 1850 mm, height: 58 mm Weight category: 50 to 100 kg Condition: New	50€
 <p>NO VALID IMAGE URL</p>	45	Quantity: 40 Product category: oak skirting board Additional information: 40 pieces of oak skirting board, brand: Barlinek, color: gray, length: 1850 mm, height: 58 mm Weight category: 50 to 100 kg Condition: New	50€