



CATALOG
Earthmoving & industrial cleaning machines



DESCRIPTION

This auction includes machinery for earthmoving and professional cleaning. The earthmoving segment includes mini excavators, articulated wheel loaders (including telescopic models), a telescopic telehandler, and dumpers. The cleaning segment consists of sweepers, scrubber dryers (including ride-on scrubbers), and hot water high-pressure cleaners.

START

6 february 2026 to 09:00 [UTC]

END DATE

16 february 2026 from 13:00 [UTC]

VIEWING

- ---
Monday February 09 2026 from 10:00 until 11:00
NL-NL5961NT HORST, VENRAYSEWEG 130

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoen@auctim.be
BTW BE 0452 153 622

ISSUE - COLLECTION

- ---
Monday February 23 2026 from 14:30 until 16:30
BE-2630 AARTSELAAR, HELSTSTRAAT 47

Online bidding only!

AUCTIM - MOYERSOEN NV

Helststraat 47
2630 Aartselaar, Belgium
VAT BE 0452 153 622

www.auctim.com
info.moyersoen@auctim.be



AUCTIM
ONLINE AUCTIONS

Catalog created on 16 february 2026 to 04:00



	Item	Description	Start price
	1	<p>Quantity: 1 Product category: Mini excavator EURO5 Brand: RTE Model: CRE102 Additional information: Type CRE102</p> <p>Track width: 180 mm</p> <p>Overall dimensions: Height: 2140 mm</p> <p>Overall dimensions: Width: 940 mm</p> <p>Overall dimensions: Length: 2770 mm</p> <p>With bucket: True Number of cylinders: 1</p> <p>Fuel: Diesel</p> <p>Year of manufacture: 2025</p> <p>Engine brand: Buy 192FHE</p> <p>Hour reading: 1</p> <p>Brand: RTE Net weight: 1020 kg</p> <p>Engine power: 8.60 kW</p> <p>Digging depth: 1650 mm; Bucket capacity: 0.025 m³; 360-degree rotation; Arm light: 5789</p> <p>Weight category: over 1,000 kg</p> <p>Condition: New</p> <p>Original packaging</p>	2.000€



	2	<p>Quantity: 1</p> <p>Product category: Mini excavator EURO5</p> <p>Brand: RTE</p> <p>Model: CRE112</p> <p>Additional information: Type CRE112</p> <p>Track width: 180 mm</p> <p>Overall dimensions: Height: 2140 mm</p> <p>Overall dimensions: Width: 940 mm</p> <p>Overall dimensions: Length: 2940 mm</p> <p>With bucket: True</p> <p>Number of cylinders: 1</p> <p>Fuel: Diesel</p> <p>Year of manufacture: 2025</p> <p>Engine brand: Buy 192FHE</p> <p>Hour reading: 1</p> <p>Brand: RTE</p> <p>Net weight: 1120 kg</p> <p>Engine power: 8.60 kW</p> <p>Rotating arm: Maximum digging depth: 1650 mm; Bucket capacity: 0.025 m³; 360-degree rotation; Light on the arm; 5790</p> <p>Weight category: over 1,000 kg</p> <p>Condition: New</p> <p>Original packaging</p>	2.000€
--	---	--	--------



	3	<p>Quantity: 1 Product category: Mini excavator Kubota Euro 5 Brand: RTE Model: CRE120 Additional information: Engine brand: Kubota D722 EURO5 Engine power: 10.20 kW Number of cylinders: 3 Fuel type: Diesel Maximum digging depth: 1805 mm Bucket dimensions (L x W x H): 380 x 225 x 310 mm Track width: 180mm Hour meter reading: 1 Net weight: 1200 kg Overall dimensions (L x W x H): 2300 x 820 x 2200 mm Weight category: more than 1,000 kg Condition: New</p> <p>Original packaging</p>	2.000€
	5	<p>Quantity: 1 Product Category: Mini Excavator Brand: Everun Model: ERE10PRO Additional Information: Type: ERE10PRO Track Width: 180 mm Overall Dimensions: Height: 2195 mm Overall Dimensions: Width: 950 mm Overall Dimensions: Length: 3127 mm With True Bucket Number of Cylinders: 1 Fuel: Diesel</p>	2.000€



		<p>Year of Manufacture: 2025</p> <p>Operating Hours: 1</p> <p>Brand: Everun</p> <p>Net Weight: 1020 kg</p> <p>Engine Power: 7.50 kW</p> <p>3 buckets; 1 ripper; With 120° deflection boom, 30° left and 90° right. Max. Digging Depth: 1735 mm; Max. Vertical Digging Depth: 1581 mm; Max. Digging Height: 3006 mm; Max. Dumping Height: 2248 mm; Max. Digging radius on the ground: 3224 mm; Min. rotation radius: 1430 mm; seat with armrest;</p> <p>Weight category: over 1,000 kg</p> <p>Condition: New</p> <p>Original packaging</p>	
	6	<p>Quantity: 1</p> <p>Product category: Everun - 2025 - ER08 - Articulated wheel loader with quick coupler</p> <p>Brand: Everun</p> <p>Model: ER08</p> <p>Additional information: Unused; 2400 rpm; dumping height approx. 2100 mm; dumping reach 735 mm; lifting height 3270 mm, lifting distance 1360 mm; service brake mechanical, drum brake; parking brake manual disk brake; description: equipped with bucket; fork carriage; heating; fan; radio; rearview camera; suspension seat; 4WD; joystick steering; fork length 1070 mm; easy-open engine hood; quick coupler; operating weight 800 kg; net weight 2900 kg; dimensions 4620 x 1600 x 2540 mm</p> <p>Weight category: over 1000 kg</p> <p>Condition: New</p> <p>Original packaging</p>	2.000€



	7	<p>Quantity: 1 Product category: Everun - 2025 - ER12 - Articulated wheel loader with quick hitch Brand: Everun Model: ER12 Additional information: Equipped with Quick Hitch; Maximum lifting height 2980mm; Travel speed: 22 km/h; 4WD; Deluxe fully enclosed cabin; Equipped with 1 door; Opening window; Suspension seat; Radio; Fan and heater; Tilting cabin for simplified maintenance; 0.53 m³ bucket and pallet forks; Overall dimensions with bucket; Rated load 1200 kg; Net weight 4000 kg; 36.8 kW; Dimensions 5190 x 1770 x 2600 m Weight category: over 1000 kg Condition: New</p> <p>Original packaging</p>	2.000€
	8	<p>Quantity: 1 Product category: Everun - 2025 - ER1000 - Kubota Euro5 telescopic articulated wheel loader Brand: Everun Model: ER1000 Additional information: Unused; Kubota D1105 3-cylinder diesel EURO5; 4WD; Servo joystick; hydraulic quick coupler; rated load 600 kg; equipped with excavator bucket; pallet forks; lighting; cabin; fan; windshield wiper; radio; net weight 2000 kg; Engine 18.20 m; 3800 x 1200 x 2320 mm Weight category: over 1,000 kg Condition: New</p> <p>Original packaging</p>	2.000€
	9	<p>Quantity: 1 Product category: Everun - 2025 - ER12 - Articulated wheel loader with quick coupler Brand: Everun Model: ER16 Additional information: Unused; hydraulic quick coupler; rated load 1600kg; maximum lifting height 2980mm; engine power 50HP; 2-speed</p>	2.000€



		<p>transmission with torque converter. Max. travel speed: 22 km/h; 4WD; Deluxe, fully enclosed cab; equipped with 1 door; opening window; suspension seat; radio; fan and heater; tilting cab for simplified maintenance; 0.80 m³ bucket and pallet forks; overall dimensions with bucket: 6152 kg Weight category: over 1,000 kg Condition: New</p> <p>Original packaging</p>	
	<p>10</p>	<p>Quantity: 1 Product Category: Everun - 2025 - ER2500 - Telescopic Wheel Loader Brand: Everun Model: ER2500 Additional Information: Hydraulic quick-change system; Max. lifting height 4500mm; Four-wheel disk brake; Transmission system: Hydraulic converter + drive shaft + axles; Bucket capacity approx. 0.67m³; Pallet forks; Windshield wiper; Fan; Lights; Radio; Rear-view camera; Armrest; Engine brand: XiChai 4DX21-72G2; 53KW; Tire size: 16/70-20; Bucket size: 2000x700x770mm; Diesel; Hours: 0-5 hours; 4456 Dimensions (L x W x H): 5900 x 2000 x 2700 Weight capacity: over 1,000 kg Condition: New</p> <p>Original packaging</p>	<p>2.000€</p>
	<p>11</p>	<p>Quantity: 1 Product Category: Telescopic Handler Brand: Everun Model: ERT1500 2025 Additional Information: Engine Model: Perkins EURO 5; Hydraulic quick coupler; Rear-wheel steering; 4WD; Differential lock function; Tire size: 26*12-16.5; Bucket Capacity: 0.3m³; Engine Rated Power: 18.4kW; Maximum loading height: 4m; Lifting capacity: 1400kg</p>	<p>2.000€</p>



		Dimensions (LxWxH): 3350x1588x19500 Weight Category: Over 1,000kg Condition: New Original packaging	
	12	Quantity: 1 Product category: emergency power generator 100KVA Ricardo Brand: RTE Model: 6742 Additional information: Power: 100 kVA/80 kW Standby power: 110 kVA/88 kW Engine: Ricardo R6105AZD Generator capacity 160A P.F. 0.8 CE and QC ATS and Altenator type 274C Voltage: 400 V Frequency: 50 Hz Displacement: 3.76 L Diesel tank capacity: 135 L Phase: 3 Dimensions: 2800 x 1090 x 1430 mm Net weight: 1500 kg Dimensions mm (LxWxH): 2800 x 1090 x 1430 mm Weight category: more than 1,000 kg Condition: New Original packaging	2.000€
	13	Quantity: 1 Product category: emergency power generator 100KVA Ricardo Brand: RTE Model: 6742 Additional information: Power: 100 kVA/80 kW Standby power: 110 kVA/88 kW Engine: Ricardo R6105AZD Generator capacity 160A P.F. 0.8 CE and QC	2.000€



		<p>ATS and Altenator type 274C Voltage: 400 V Frequency: 50 Hz Displacement: 3.76 L Diesel tank capacity: 135 L Phase: 3 Dimensions: 2800 x 1090 x 1430 mm Net weight: 1500 kg Dimensions mm (LxWxH): 2800 x 1090 x 1430 mm Weight category: more than 1,000 kg Condition: New</p> <p>Original packaging</p>	
	14	<p>Quantity: 1 Product category: Hydraulic dumper petrol Brand: Daewoo Model: DWFMD500 Additional information: Unused; 270cc; tracks 180mm; speed 0.5km/h; transmission manual 3f-1r; 9PK; inside box 1040x620x320mm; outside box 1100x680x620mm; Year of construction 2023; Load capacity 500KG; dimensions 1750x1150x1060mm Condition: New</p> <p>Original packaging</p>	500€
	15	<p>Quantity: 1 Product category: Hydraulic dumper petrol Brand: Daewoo Model: DWFMD500 Additional information: Unused; 270cc; tracks 180mm; speed 0.5km/h; transmission manual 3f-1r; 9PK; inside box 1040x620x320mm; outside box 1100x680x620mm; Year of construction 2023; Load capacity 500KG; dimensions 1750x1150x1060mm Condition: New</p> <p>Original packaging</p>	500€



	16	<p>Quantity: 1 Product category: Electric dump truck Brand: Daewoo Model: DWFMD500-E Additional information: Unused; 1000W; battery 48v 32ah; working time 8-10 hours; charging time 6-7 hours; interior dimensions of the container 1080x670x475mm; equipped with charger; Year of construction 2023; Load capacity 500KG; dimensions 1750x1150x1060mm Condition: New</p> <p>Original packaging</p>	500€
	17	<p>Quantity: 1 Product category: Electric dump truck Brand: Daewoo Model: DWFMD500-E Additional information: Unused; 1000W; battery 48v 32ah; working time 8-10 hours; charging time 6-7 hours; interior dimensions of the container 1080x670x475mm; equipped with charger; Year of construction 2023; Load capacity 500KG; dimensions 1750x1150x1060mm Condition: New</p> <p>Original packaging</p>	500€
	18	<p>Quantity: 1 Product category: sweeper Brand: Kremer Model: KRS100 sweeper Additional information: Cleaning width: 1900 mm Main brush width: 690mm Side brush width: 500*4mm Side brush motor: 90*4W Rolling Motor: 800W Drive motor power: 1200W Vibrating dust motor: 60 W Dust bucket capacity: 180 L Water tank: 80 L Machine weight: 780 kg Battery capacity: 48 V / 100 Ah (4PC) Weight category: 250 to 1,000 kg</p>	2.000€



		Condition: New Original packaging	
	19	Quantity: 1 Product category: sweeper Brand: Daewoo Model: DAS100 sweeper Additional information: Cleaning width: 1900 mm Main brush width: 690mm Side brush width: 500*4mm Side brush motor: 90*4W Rolling Motor: 800W Drive motor power: 1200W Vibrating dust motor: 60 W Dust bucket capacity: 180 L Water tank: 80 L Machine weight: 780 kg Battery capacity: 48 V / 100 Ah (4PC) Weight category: 250 to 1,000 kg Condition: New Original packaging	2.000€
	20	Quantity: 1 Product category: High-pressure cleaner Hot water Brand: Daewoo Model: DHPW7300 Additional information: Voltage: 380 - 400 V Phase: 3 Hertz: 50 Hz Thermal duty: 58 kW Boiler feeding: Diesel Max water pressure: 210 Bar Working pressure: 20 MPa Max pressure: 21 MPa Pump: 1450 rpm Displacement: 15 L/min Temperature inlet max: 140 °C Weight category: 100 to 250 kg Condition: New	500€



		Original packaging	
	21	<p>Quantity: 1 Product category: High-pressure cleaner Hot water Brand: Daewoo Model: DHPW7300 Additional information: Voltage: 380 - 400 V Phase: 3 Hertz: 50 Hz Thermal duty: 58 kW Boiler feeding: Diesel Max water pressure: 210 Bar Working pressure: 20 MPa Max pressure: 21 MPa Pump: 1450 rpm Displacement: 15 L/min</p> <p>Temperature inlet max: 140 °C Weight category: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	500€
	22	<p>Quantity: 1 Product category: High-pressure cleaner Hot water Brand: Daewoo Model: DHPW7300 Additional information: Voltage: 380 - 400 V Phase: 3 Hertz: 50 Hz Thermal duty: 58 kW Boiler feeding: Diesel Max water pressure: 210 Bar Working pressure: 20 MPa Max pressure: 21 MPa Pump: 1450 rpm Displacement: 15 L/min</p> <p>Temperature inlet max: 140 °C Weight category: 100 to 250 kg Condition: New</p>	500€



		Original packaging	
	23	<p>Quantity: 1 Product category: High-pressure cleaner Hot water Brand: Daewoo Model: DHPW7300 Additional information: Voltage: 380 - 400 V Phase: 3 Hertz: 50 Hz Thermal duty: 58 kW Boiler feeding: Diesel Max water pressure: 210 Bar Working pressure: 20 MPa Max pressure: 21 MPa Pump: 1450 rpm Displacement: 15 L/min</p> <p>Temperature inlet max: 140 °C Weight category: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	500€
	24	<p>Quantity: 1 Product category: scrubber Brand: Daewoo Model: DAFL50A Additional information: Power: Battery: 24V / 100Ah Average power consumption: 1000 W Power suction turbine: 500 W Power brush drive: 500W Max running time: 5 h Cleaning brushes: Brush speed: 175 rpm Brush diameter: 510mm Vacuuming: Vacuum power, air volume (max): 24 L/s Vacuuming power, negative pressure (max): 120 kPA (mbar) Dimensions and weights: Theoretical surface cleaning Performance: 2000 m²/h</p>	500€



		<p>Suction width: 850 mm Cleaning width: 510mm Max. working range incline: 2% Fresh/waste water tank volume: 50/50 L Max. water temperature 60°C Ambient temperature 5- 40°C Net weight 160 kg Dimensions of battery compartment: 350 x 350 mm Values determined as per EN60335-2-72: Total oscillation value: < 2.5 m/s² Uncertainty K: 0.2 m/s²</p> <p>Sound pressure level Lpa: 66 dB(A) Uncertainty Kpa: 2 dB(A) Sound power level Lwa +: 81 dB(A) Weight category: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	
	25	<p>Quantity: 1 Product category: scrubber Brand: Daewoo Model: DAFL50A Additional information: Power: Battery: 24V / 100Ah Average power consumption: 1000 W Power suction turbine: 500 W Power brush drive: 500W Max running time: 5 h Cleaning brushes: Brush speed: 175 rpm Brush diameter: 510mm Vacuuming: Vacuum power, air volume (max): 24 L/s Vacuuming power, negative pressure (max): 120 kPA (mbar) Dimensions and weights: Theoretical surface cleaning Performance: 2000 m²/h Suction width: 850 mm Cleaning width: 510mm Max. working range incline: 2%</p>	500€



		<p>Fresh/waste water tank volume: 50/50 L Max. water temperature 60°C Ambient temperature 5- 40°C Net weight 160 kg Dimensions of battery compartment: 350 x 350 mm Values determined as per EN60335-2-72: Total oscillation value: < 2.5 m/s² Uncertainty K: 0.2 m/s²</p> <p>Sound pressure level Lpa: 66 dB(A) Uncertainty Kpa: 2 dB(A) Sound power level Lwa +: 81 dB(A) Weight category: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	
	26	<p>Quantity: 1 Product category: scrubber Brand: Daewoo Model: DAFL50A Additional information: Power: Battery: 24V / 100Ah Average power consumption: 1000 W Power suction turbine: 500 W Power brush drive: 500W Max running time: 5 h Cleaning brushes: Brush speed: 175 rpm Brush diameter: 510mm Vacuuming: Vacuum power, air volume (max): 24 L/s Vacuuming power, negative pressure (max): 120 kPA (mbar) Dimensions and weights: Theoretical surface cleaning Performance: 2000 m²/h Suction width: 850 mm Cleaning width: 510mm Max. working range incline: 2% Fresh/waste water tank volume: 50/50 L Max. water temperature 60°C Ambient temperature 5- 40°C</p>	500€



		<p>Net weight 160 kg Dimensions of battery compartment: 350 x 350 mm Values determined as per EN60335-2-72: Total oscillation value: < 2.5 m/s² Uncertainty K: 0.2 m/s²</p> <p>Sound pressure level Lpa: 66 dB(A) Uncertainty Kpa: 2 dB(A) Sound power level Lwa +: 81 dB(A) Weight category: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	
	27	<p>Quantity: 1 Product category: scrubber Brand: Daewoo Model: DAFL50A Additional information: Power: Battery: 24V / 100Ah Average power consumption: 1000 W Power suction turbine: 500 W Power brush drive: 500W Max running time: 5 h Cleaning brushes: Brush speed: 175 rpm Brush diameter: 510mm Vacuuming: Vacuum power, air volume (max): 24 L/s Vacuuming power, negative pressure (max): 120 kPA (mbar) Dimensions and weights: Theoretical surface cleaning Performance: 2000 m²/h Suction width: 850 mm Cleaning width: 510mm Max. working range incline: 2% Fresh/waste water tank volume: 50/50 L Max. water temperature 60°C Ambient temperature 5- 40°C Net weight 160 kg Dimensions of battery compartment: 350 x 350 mm</p>	500€



		<p>Values determined as per EN60335-2-72: Total oscillation value: < 2.5 m/s² Uncertainty K: 0.2 m/s²</p> <p>Sound pressure level Lpa: 66 dB(A) Uncertainty Kpa: 2 dB(A) Sound power level Lwa +: 81 dB(A) Weight category: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	
	28	<p>Quantity: 1 Product category: ride-on scrubber Brand: Daewoo Model: DAFR70 Additional information: Working width: 560 mm Squeegee width: 800mm Working capacity: 3500 m²/h Disc brush: 1/560 Ømm</p> <p>Disc brush rotations: 200 RPM Brush motor: 24 V / 550 W Maximum pressure on the brushes: 23 KG Traction motor: 24 V / 500 W Traction wheel: 2 / 225 Ømm / 64 mm Maximum forward speed: 0-5.5 km/h Maximum gradient with full load: 10% Suction vacuum: 1/24 V/500 W Solution tank: 700 Mbar Front elastic wheel: 175 Ømm / 60 mm Solution tank: 70 L Recovery tank: 70 L Steering diameter: 1980 mm Machine length: 1265 mm Machine length with optional item-holder tray: 1320 mm Machine height: 1030 mm Machine height with optional blinking light kit: 1230 mm Machine width (without squeegee): 600 mm Machine width (without squeegee) with optional tool-holder kit: 630 mm Battery compartment (L*W*H): 362x354x290 mm</p>	1.000€



		<p>Rated battery voltage: 12 V / 100 Ah Battery weight (max): 80 KG Machine weight (empty and without batteries): 110 Kg Gross weight in running order (machine + batteries + water + operator): 220 Kg Pressure level: 65 dB (A) Weight category: 250 to 1,000 kg Condition: New</p> <p>Original packaging</p>	
	29	<p>Quantity: 1 Product category: ride-on scrubber Brand: Daewoo Model: DAFR70 Additional information: Working width: 560 mm Squeegee width: 800mm Working capacity: 3500 m²/h Disc brush: 1/560 Ømm</p> <p>Disc brush rotations: 200 RPM Brush motor: 24 V / 550 W Maximum pressure on the brushes: 23 KG Traction motor: 24 V / 500 W Traction wheel: 2 / 225 Ømm / 64 mm Maximum forward speed: 0-5.5 km/h Maximum gradient with full load: 10% Suction vacuum: 1/24 V/500 W Solution tank: 700 Mbar Front elastic wheel: 175 Ømm / 60 mm Solution tank: 70 L Recovery tank: 70 L Steering diameter: 1980 mm Machine length: 1265 mm Machine length with optional item-holder tray: 1320 mm Machine height: 1030 mm Machine height with optional blinking light kit: 1230 mm Machine width (without squeegee): 600 mm Machine width (without squeegee) with optional tool-holder kit: 630 mm Battery compartment (L*W*H): 362x354x290 mm</p>	1.000€



		<p>Rated battery voltage: 12 V / 100 Ah Battery weight (max): 80 KG Machine weight (empty and without batteries): 110 Kg Gross weight in running order (machine + batteries + water + operator): 220 Kg Pressure level: 65 dB (A) Weight category: 250 to 1,000 kg Condition: New</p> <p>Original packaging</p>	
	<p>30</p>	<p>Quantity: 1 Product category: sweeper Brand: Daewoo Model: DAS80 sweeper Additional information: Sweeping width: 1250 mm Side brush width: 2*400mm Working hours: 2-2.5 Hrs Walking motor: 700 W Battery capacity: 48 v/ 65 ah * 4 pcs Total weight: 396 kgs Width of main brush: 500 mm Work efficiency: 6380 m2/h Garbage capacity: 80L Roller brush motor: 700W Walking speed: 0-10 Km/h Product size: 1600*1250*1300mm Weight category: 250 to 1,000 kg Condition: New</p> <p>Original packaging</p>	<p>1.000€</p>
	<p>31</p>	<p>Quantity: 1 Product category: sweeper Brand: Daewoo Model: DAS80 sweeper Additional information: Sweeping width: 1250 mm Side brush width: 2*400mm Working hours: 2-2.5 Hrs Walking motor: 700 W Battery capacity: 48 v/ 65 ah * 4 pcs Total weight: 396 kgs Width of main brush: 500 mm</p>	<p>1.000€</p>



		<p>Work efficiency: 6380 m2/h Garbage capacity: 80L Roller brush motor: 700W Walking speed: 0-10 Km/h Product size: 1600*1250*1300mm Weight category: 250 to 1,000 kg Condition: New</p> <p>Original packaging</p>	
	32	<p>Quantity: 1 Product category: scissor lift 6.4M Brand: Mantall Model: XE60 MINI Additional information: platform height 4400mm; drive speed stowed 3km/h; drive speed raised 0.8km/h; gradeability 25%; non marking tires; ground clearance 60mm; turning radius 350mm; transport height folded 1590mm; unfolded 2030mm; platform length extended 1830mm; lift capacity on the extension 100kg; unused; 5928 Plateau dimensions 1280x760mm platform capacity 240KG; total dimensions 1490x760x2030mm; • Proportional controls</p> <ul style="list-style-type: none">• Self-closing gate on platform• Extended platform• Driveable at full height• Non-marking tyres• 4 x 2WD• Automatic brake system• Emergency lowering system• Emergency stop button• Explosion protection of the tubes• Diagnostic system• Tilt sensor with alarm• Horn• Strobe light• Hour meter• Safety bars• Forklift lowering <p>Weight category: 250 to 1,000 kg Condition: New</p> <p>Original packaging</p>	2.000€



	33	<p>Quantity: 1 Product Category: Stahlgruppe - SG2024 - 327-Piece - Tool Trolley Brand: Stahlgruppe Model: SG2024 Additional Information: Trolley with removable top box; top box with 8 drawers and a top flap; Trolley with 5 drawers and a cabinet with double doors; 13 drawers - 9 full; 2 swivel casters, 2 of which have brakes; 7212 Weight Capacity: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	500€
	34	<p>Quantity: 1 Product Category: Stahlgruppe - SG2024 - 327-Piece - Tool Trolley Brand: Stahlgruppe Model: SG2024 Additional Information: Trolley with removable top box; top box with 8 drawers and a top flap; Trolley with 5 drawers and a cabinet with double doors; 13 drawers - 9 full; 2 swivel casters, 2 of which have brakes; 7212 Weight Capacity: 100 to 250 kg Condition: New</p> <p>Original packaging</p>	500€